The Wayback Machine - https://web.archive.org/web/20191210160505/https://teleflex.com/usa/en/produ…

Resources

Passive Humidification

Gibeck® HMEs Heat and Moisture Exchangers

10011

Humid-Vent® Mini

Designed specifically for neonatal patients.

- Standard 15 mm ID x 15 mm OD connector
- Provides over 30 mg H2O/L @ Vt 20 mL
- Only 2.4 mL of added dead space
- Sterile

Individually packaged, case quantities listed below.

11132 (left), 11112 (right)

Humid-Vent® 1

The Humid-Vent 1 is the original, disposable, in-line HME.

- Recommended for tidal volumes between 50 mL and 600 mL
- Offers low resistance to flow
- Available in 2 configurations, with and without CO2 port

Individually packaged, case quantities listed below.

14412 (left), 17731 (right), 13312 (bottom right)

Humid-Vent® 2

The Humid-Vent 2 is designed in both angled and straight versions for use in intensive care and anesthesia applications.

- Recommended for tidal volumes between 150 mL and 1500 mL
- Transparent housing provides excellent visibility
- Very low resistance to flow
- Humid-Vent 2S Flex configurations include permanently attached 15-mm ID Smooth-Flo® tube with rigid patient connector
- Item Code 17731 is provided sterile for head and neck surgery

Individually packaged, case quantities listed below.

Gibeck® Humid-Vent® HME

ITEM CODE	DESCRIPTION	TV RANGE (ML)	MOISTURE OUTPUT (MG H2O/L)	WEIGHT (G)	RESISTANCE (CM H2O)	DEAD SPACE (ML)	CASE QUANTITY
10011	Humid-Vent Mini	15-50	30, Vt = 20 mL	4.5	0.9, 10 lpm	2.4	30
11112	Humid-Vent 1	50-600	30.5, Vt = 0.2 L	9.4	0.3, 20 lpm	10	50
11132	Humid-Vent 1 port	50-600	30.5, Vt = 0.2 L	11.6	0.3, 20 lpm	14	25
13312	Humid-Vent 2 port	150-1500	28, Vt = 0.6 L	20.9	0.8, 60 lpm	29	20
14412	Humid-Vent 2S	150-1500	28, Vt = 0.6 L	19.8	0.8, 60 lpm	29	20
17731	Humid-Vent 2S Flex–sterile	250-1500	28, Vt = 0.6 L	26.4	0.8, 60 lpm	54	20
17732	Humid-Vent 2S Flex–clean	250-1500	28, Vt = 0.6 L	26.4	0.8, 60 lpm	54	20

Gibeck® Trach-Vent®

The Trach-Vent HME and accessory products are designed specifically for tracheostomized or intubated, spontaneously breathing patients.

- Recommended for tidal volumes of 50 mL and above
- For use on both pediatric and adult patients
- Weighs only 4.0 g with 10 mL of dead space
- Trach-Vent holder conveniently attaches Trach-Vent to tracheostomy or endotracheal tube, allowing it to be removed and replaced easily during suctioning or change-out
- Oxy-Vent® snaps over Trach-Vent to allow delivery of supplemental oxygen

41112

Trach-Vent® HME

Item Code 41112

Individually packaged, 50 to a case.

61112

Trach-Vent® Holder

Item Code 41112

Individually packaged, 50 to a case.

45512

Oxy-Vent® with Tubing

Item Code 45512

Includes supplemental oxygen tubing and OXY-VENT adaptor. Individually packaged, 10 to a case.

Starter Kit

Item Code 41172

- 3 Trach-Vent HMEs
- 1 Oxy-Vent
- 1 Trach-Vent Holder

Individually packaged, 6 kits to a case.

41312

Trach-Vent®+ HME

Item Code 41312

- Compact, lightweight HME for spontaneously breathing patients
- Includes convenient, self-opening/closing suction port
- Integral oxygen port allows delivery of supplemental oxygen when needed
- Weighs only 6.5 g

Individually packaged, 50 to a case.

Trach-Vent® Heat & Moisture Exchangers

ITEM CODE	DESCRIPTION	TV RANGE (ML)	MOISTURE OUTPUT (MG H2O/L)	WEIGHT (G)	RESISTANCE (CM H2O)	DEAD SPACE (ML)	CASE QUANTITY
41112	TRACH-VENT	>50 mL	27, Vt = 0.5 L	4	0.25, 30 lpm	10	50
41112-BQY	TRACH-VENT Flex	>50 mL	27, Vt = 0.5 L	4	0.25, 30 lpm	10	50
41312	TRACH-VENT+	>50 mL	27, Vt = 0.5 L	6.5	0.25, 30 lpm	10	50

MC-001089 REV1

OUR PRODUCTS

Anesthesia
Interventional Cardiology/Radiology
Emergency Medicine
Interventional Urology - UroLift System
Military - Federal
Respiratory
Surgical
Urology
Vascular Access

TELEFLEX MEDICAL OEM

SUPPLIERS

ABOUT US

CAREERS

INVESTORS

LEGAL

GLOBAL REACH

United States
Latin America
Asia Pacific

Europe, Middle East, Africa

SERVICES

CONTACT

© 2019 Teleflex Incorporated. All Rights Reserved.

Teleflex®